Ö

PCT/FR99/01904

CLAIMS

- 1. A filter element to filter a fluid, wherein the filter element (14) is used in a filter system (10) comprising a cylindrical case (12), said element (14) including an absorbent paper material in the form of a sheet and said element is configured to constitute a tubular cylinder inside said case (12) in a manner to partition an outer radial part (26) from an inner radial part (30), the fluid moving across the filter element (14) in a generally centripetal direction, characterized in that the filter element (14) is devoid of a central core.
- 2. Filter element as claimed in claim 1, characterized in that the mean inside diameter of the tubular cylinder is larger than 1/20th of its mean outside diameter.
- 3. Filter element as claimed in claim 2, characterized in that the mean inside diameter of the tubular cylinder is greater than $1/4^{\rm th}$ its mean outside diameter.
- 4. Filter element as claimed in claim 3, characterized in that the mean inside diameter of the tubular cylinder is between 1/3 and 1/2 its mean outside diameter.

PCT/FR99/01904

- 5. Filter element as claimed in any of the above claims, characterized in that the mean inside diameter of the tubular cylinder is greater than 25 mm.
- 6. Filter element as claimed in any of the above claims, characterized in that the inside wall of the tubular cylinder exhibits a conical or cylindrical shape and a circular, polygonal or other cross-sectional shape.
- 7. Filter element as claimed in any of the above claims, characterized in that the filter element is fitted on its surface with at least one polarizing positioning means.
- 8. Filter element as claimed in any of the above claims, characterized in that the filter element (14) has a strip of absorbent paper material in the form of a continuous single sheet wound into a tubular cylinder.
- 9. Filter element as claimed in any of claims 1 through 7, characterized in that the filter element (14) includes a series of sheets of absorbent paper material which are interlaced to constitute a tubular cylinder.
- 10. Filter element as claimed in any of the above claims, characterized in that the sheet comprises several plies.

- 11. Filter element as claimed in any of the above claims, characterized in that the absorbent paper material is cellulose cotton.
- 12. Filter element as a laimed in any of the above claims, characterized in that it is used in a fluid filtering system (10) for filtering oil of an automotive engine for example.

15